

Terminal log file

Date: 29/12/2024 - 10:51:18

ets Jul 29 2019 12:21:46

rst:0x1 (POWERON_RESET),boot:0x13 (SPI_FAST_FLASH_BOOT)

configsip: 0, SPIWP:0xee

clk_drv:0x00,q_drv:0x00,d_drv:0x00,cs0_drv:0x00,hd_drv:0x00,wp_drv:0x00

mode:DIO, clock div:3

load:0x3fff0030,len:7176

load:0x40078000,len:15564

ho 0 tail 12 room 4

load:0x40080400,len:4

load:0x40080404,len:3904

entry 0x40080640

[0;32mI (31) boot: ESP-IDF HEAD-HASH-NOTFOUND 2nd stage bootloader[0m

[0;32mI (31) boot: compile time Dec 27 2024 13:58:32[0m

[0;32mI (32) boot: Multicore bootloader[0m

[0;32mI (36) boot: chip revision: v3.0[0m

[0;32mI (40) boot.esp32: SPI Speed : 26.7MHz[0m

[0;32mI (45) boot.esp32: SPI Mode : DIO[0m

[0;32mI (50) boot.esp32: SPI Flash Size : 2MB[0m

[0;32mI (54) boot: Enabling RNG early entropy source...[0m

[0;32mI (60) boot: Partition Table:[0m

[0;32mI (63) boot: ## Label Usage Type ST Offset

Length[0m

[0;32mI (70) boot: 0 nvs WiFi data 01 02 00009000
00006000[0m

[0;32mI (78) boot: 1 phy_init RF data 01 01 0000f000
00001000[0m

[0;32mI (85) boot: 2 factory factory app 00 00 00010000
00100000[0m

[0;32mI (93) boot: End of partition table[0m

[0;32mI (97) esp_image: segment 0: paddr=00010020 vaddr=3f400020 size=2111ch (135452) map[0m

[0;32mI (160) esp_image: segment 1: paddr=00031144 vaddr=3ffbdb60 size=05840h (22592) load[0m

[0;32mI (170) esp_image: segment 2: paddr=0003698c vaddr=40080000 size=0968ch (38540) load[0m

[0;32mI (187) esp_image: segment 3: paddr=00040020 vaddr=400d0020 size=89c84h (564356) map[0m

[0;32mI (414) esp_image: segment 4: paddr=000c9cac vaddr=4008968c size=10000h (65536) load[0m

[0;32mI (457) boot: Loaded app from partition at offset 0x10000[0m

[0;32mI (457) boot: Disabling RNG early entropy source...[0m

[0;32mI (469) cpu_start: Multicore app[0m

[0;32mI (478) cpu_start: Pro cpu start user code[0m

[0;32mI (478) cpu_start: cpu freq: 240000000 Hz[0m

[0;32mI (478) app_init: Application information:[0m

[0;32mI (481) app_init: Project name: esp-project[0m

[0;32mI (486) app_init: App version: 1[0m

[0;32mI (491) app_init: Compile time: Dec 27 2024 13:58:11[0m

[0;32mI (497) app_init: ELF file SHA256: 3f80cfca3c0019ac...[0m

[0;32mI (503) app_init: ESP-IDF: HEAD-HASH-NOTFOUND[0m

```

[0;32mI (508) efuse_init: Min chip rev:      v0.0[0m
[0;32mI (513) efuse_init: Max chip rev:      v3.99 [0m
[0;32mI (518) efuse_init: Chip rev:          v3.0[0m
[0;32mI (523) heap_init: Initializing. RAM available for dynamic allocation:[0m
[0;32mI (530) heap_init: At 3FFAE6E0 len 0000F480 (61 KiB): DRAM[0m
[0;32mI (536) heap_init: At 3FFC84E0 len 00017B20 (94 KiB): DRAM[0m
[0;32mI (542) heap_init: At 3FFE0440 len 00003AE0 (14 KiB): D/IRAM[0m
[0;32mI (549) heap_init: At 3FFE4350 len 0001BCB0 (111 KiB): D/IRAM[0m
[0;32mI (555) heap_init: At 4009968C len 00006974 (26 KiB): IRAM[0m
[0;32mI (563) spi_flash: detected chip: generic[0m
[0;32mI (566) spi_flash: flash io: dio[0m
[0;33mW (570) spi_flash: Detected size(4096k) larger than the size in the
binary image header(2048k). Using the size in the binary image header.[0m
[0;32mI (584) coexist: coex firmware version: 4482466[0m
[0;32mI (589) main_task: Started on CPU0[0m
[0;32mI (599) main_task: Calling app_main()[0m
I (639) wifi:wifi driver task: 3ffb85fc, prio:23, stack:6656, core=0
I (649) wifi:wifi firmware version: ccaebfa
I (649) wifi:wifi certification version: v7.0
I (649) wifi:config NVS flash: enabled
I (649) wifi:config nano formating: disabled
I (659) wifi:Init data frame dynamic rx buffer num: 32
I (659) wifi:Init static rx mgmt buffer num: 5
I (669) wifi:Init management short buffer num: 32
I (669) wifi:Init dynamic tx buffer num: 32
I (669) wifi:Init static rx buffer size: 1600
I (679) wifi:Init static rx buffer num: 10
I (679) wifi:Init dynamic rx buffer num: 32
[0;32mI (689) wifi_init: rx ba win: 6[0m
[0;32mI (689) wifi_init: accept mbox: 6[0m
[0;32mI (689) wifi_init: tcpip mbox: 32[0m
[0;32mI (699) wifi_init: udp mbox: 6[0m
[0;32mI (699) wifi_init: tcp mbox: 6[0m
[0;32mI (699) wifi_init: tcp tx win: 5744[0m
[0;32mI (709) wifi_init: tcp rx win: 5744[0m
[0;32mI (709) wifi_init: tcp mss: 1440[0m
[0;32mI (719) wifi_init: WiFi IRAM OP enabled[0m
[0;32mI (719) wifi_init: WiFi RX IRAM OP enabled[0m
CONNECT TO SSID - W (739) wifi:Password length matches WPA2 standards, authmode
threshold changes from OPEN to WPA2
[0;32mI (739) phy_init: phy_version 4830,54550f7,Jun 20 2024,14:22:08[0m
[0;33mW (819) phy_init: saving new calibration data because of checksum
failure, mode(0)[0m
I (919) wifi:mode : sta (08:b6:1f:80:aa:68)
I (919) wifi:enable tsf
I (939) wifi:new:<2,0>, old:<1,0>, ap:<255,255>, sta:<2,0>, prof:1,
snd_ch_cfg:0x0
I (939) wifi:state: init -> auth (0xb0)
I (949) wifi:state: auth -> assoc (0x0)
I (949) wifi:state: assoc -> run (0x10)
I (969) wifi:<ba-add>idx:0 (ifx:0, 64:6d:6c:fa:d4:80), tid:0, ssn:0, winSize:64
I (989) wifi:connected with AccessPoint, aid = 5, channel 2, BW20, bssid =
64:6d:6c:fa:d4:80
I (989) wifi:security: WPA2-PSK, phy: bgn, rssi: -61

```

I (999) wifi:pm start, type: 1

I (999) wifi:dp: 1, bi: 102400, li: 3, scale listen interval from 307200 us to 307200 us

I (1019) wifi:AP's beacon interval = 102400 us, DTIM period = 1

[0;32mI (2009) esp_netif_handlers: sta ip: 192.168.1.6, mask: 255.255.255.0, gw: 192.168.1.1[0m

[0;32mI (2009) wifi: got ip:192.168.1.6[0m

OK

OPEN SOCKET - OK

CONNECT TO HOST - I (2409) wifi:<ba-add>idx:1 (ifx:0, 64:6d:6c:fa:d4:80), tid:1, ssn:0, winSize:64

OK

WAIT FOR REPLY:-

HTTP/1.1 200 OK

access-control-allow-credentials: true

access-control-allow-origin: *

access-control-expose-headers:

cache-control: max-age=0, private, must-revalidate

content-length: 347

content-type: application/json; charset=utf-8

cross-origin-window-policy: deny

date: Sun, 29 Dec 2024 10:51:43 GMT

server: Fly/d5165e6e2 (2024-12-18)

vary: accept-encoding

x-content-type-options: nosniff

x-download-options: noopen

x-frame-options: SAMEORIGIN

x-permitted-cross-domain-policies: none

x-ratelimit-limit: 30

x-ratelimit-remaining: 14

x-ratelimit-reset: 1735470000

x-request-from: 86.28.168.18

x-request-id: GBWgUaj8ox3EDPXTyahn

x-request-regions: a/lhr;s/ams

x-response-origin: e825739b627078

x-runtime: 27ms

x-xss-protection: 1; mode=block

via: 1.1 fly.io

fly-request-id: 01JG90P5F4PG1YY204PE5FJ52T-lhr

```
{"utc_offset":"+01:00","timezone":"Europe/Brussels","day_of_week":0,"day_of_year":364,"datetime":"2024-12-29T11:51:44.020687+01:00","utc_datetime":"2024-12-29T10:51:44.020687+00:00","unixtime":1735469504,"raw_offset":3600,"week_number":52,"dst":false,"abbreviation":"CET","dst_offset":0,"dst_from":null,"dst_until":null,"client_ip":"86.28.168.18"}
```

EXTRACT & PRINT DATA -

Time Zone = Europe/Brussels

Day of Week = 0

Day of Year = 364

Date and Time = 2024-12-29T11:51:44.

Date: 29/12/2024 - 10:51:53

End log file